

Hazard Communication Program

Revised June 2023

The OSHA Hazard Communication Standard (HCS) contains several exclusions. A partial listing of these exclusions is listed below for which the provisions of this Program do not apply:

1.4.1

Use of hazardous chemicals in laboratories is covered by the GBC Chemical Hygiene Plan.

1.4.2

Labeling of pesticides that are covered by labeling requirements of the Federal Insecticide, Fungicide, and Rodenticide Act.

1.4.3

Labeling of medical or veterinary devices or products that are covered by labeling requirements of the Food and Drug Administration or Department of Agriculture.

1.4.4

Hazardous waste regulated under the Federal Resource Conservation and Recovery Act.

1.4.5

Wood or wood products. NOTE: Wood treated with hazardous chemicals and wood dusts are not exempt.

1.4.6

Articles that are formed to a specific shape or design during manufacture, that have end use functions dependent in whole or in part of its shape or design during end use, and that does not release or otherwise result in exposure to a hazardous chemical under normal conditions of use (e.g., tires, PVC piping).

1.4.7

Any consumer product (including pens, pencils, adhesive tape) or hazardous substance if the product is used in the workplace in the same manner as normal consumer use and if the use results in a duration and frequency of exposure that is not greater than exposures experienced by consumers.

Ensuring that an inventory of hazardous chemicals present in work areas is maintained and available to personnel who work in the area. NOTE: EH&S maintains an inventory of many campus workplaces.

2.2.3

Ensuring hazardous substances are appropriately labeled.

2.2.4

Ensuring SDSs are available to employees and that employees know how to access SDSs.

2.2.5

Developing safe handling procedures for hazardous chemicals that are present in work areas for which they are responsible.

2.2.6

Ensuring employees receive workplace specific training on physical and health hazards, emergency procedures, and safe handling procedures for hazardous chemicals used in work areas.

2.2.7

Informing visiting personnel of hazardous chemicals to which they may be exposed to in the work area, and any applicable safe work practices.

2.2.8

Ensuring that all individuals under his or her supervision follow the procedures specified in this document, and established workplace procedures for safe handling of hazardous chemicals.

2.3 Employees

Employees are responsible for conducting work as described in this document, with specific responsibilities to include:

Knowing the hazards of the hazardous chemicals that they use and following established safe work practices.

2.3.2

Properly labeling chemical containers in their workplaces, as described in this document.

2.3.3

Attending required training.

2.3.4

Planning and conducting operations in accordance with established procedures and good safety practices.

2.3.5

Using personal protective equipment in accordance with prescribed training and established procedures for safe handling of hazardous chemicals

2.3.6

Knowing how to access SDSs.

2.4 Environmental Health and Safety (EH&S) Department

EH&S is responsible for providing resources (i.e. reference materials) and technical support to assist supervisors and employees in meeting the requirements of this written program. Specific responsibilities include:

2.4.1

Providing general Hazard Communication training. Some administrative groups may choose to present this training themselves; however, such training must be coordinated with EH&S.

2.4.4

Assisting supervisors with development of workplace specific employee training, as requested.

2.4.5

3.1 Labeling of Incoming (Shipped) Chemicals

Chemical manufacturers, importers, and distributors are required by regulation to label every hazardous chemical container as described in section 3.2. If the original label is affixed and readable, individuals receiving or using the chemical do not have to take any action. If a label is missing or not readable, the responsible user must affix a replacement label that contains the information described in section 3.2.

3.2 Label Information for Incoming (Shipped) Chemicals

Incoming chemicals are those that are obtained from a chemical manufacturer, importer, or distributor. All labels on incoming chemicals must include the product identifier, supplier identification, precautionary statements, hazard pictograms, a signal word, hazard statements, and supplemental information.

3.2.1

The PRODUCT IDENTIFIER contains the name of the item as well as the product number or other distinguishing information used by the manufacturer, importer, or distributor. An identical identifier must appear both on the product label and on the corresponding safety data sheet.

3.2.2

PICTOGRAMS indicate the hazard categories that are applicable to the chemical.

3.2.3

The SUPPLIER IDENTIFICATION section contains the name of the manufacturer, importer, or other responsible party along with the address and contact information.

3.2.4

A SIGNAL WORD indicating the level of hazard. Only two signal words may be used; “DANGER” for the more severe hazard level and “WARNING” for lesser hazards.

3.2.5

Standardized HAZARD STATEMENTS describe the nature of the hazards, and where appropriate, the degree of the hazards. HAZARD STATEMENTS are specific to hazard classification categories and as such should appear identically on all chemicals possessing the same hazard, regardless of the manufacturer.

Table 1. Chemical Health Hazard Classifications

Hazard Class	Hazard Categories
Carcinogenicity	1A, 1B, 2
Reproductive Toxicity	1A, 1B, 2, lactation
Specific Organ Toxicity – single exposure	1, 2, 3
Specific Organ Toxicity – repeated exposure	1, 2
Aspiration Hazard	1
Simple Asphyxiants	Single Category
Explosives	Unstable Explosives, Div. 1.1, Div. 1.2, Div. 1.3, Div 1.4, Div 1.5, Div 1.6
	1, 2
Flammable Aerosols	1, 2

M.32 4.128 447.78 232.32 40.72 ref9 rg70.

Table 1. Chemical Health Hazard Classifications

Hazard Class	Hazard Categories
Oxidizing Solids	1, 2, 3
Organic Peroxides	

- Irritant (skin and eye)
- Skin Sensitizer
- Acute Toxicity (harmful)
- Narcotic Effects
- Respiratory Tract Irritant
- Hazardous to Ozone Layer(non mandatory)

Gas Cylinder

- Gases Under Pressure

Corrosion

- S 0Tm0.0078Tj/TT0 1 Tf0.461 0 0 1 der

Environment *(Non Mandatory)

- Aquatic Toxicity

Skull and Crossbones

- Acute Toxicity (fatal or toxic)

3.5 Replacement Labels

Each hazardous chemical container in the workplace must be labeled as described in section 3.2, or alternatively, labeling must include the product identifier and at least general information regarding the hazards using words, symbols, etc. If, for any reason, this information is not legible on the container a proper label must be promptly attached to the container. Chemical users can generate labels themselves or labels can be obtained from vendors. Contact EH&S if guidance is needed on generating or obtaining labels.

3.6 Secondary Containers

When transferring material to a secondary container (e.g. bucket, spray bottle, can, or jar), the person accomplishing the transfer must ensure that the secondary container is compatible with the material, and that the container is labeled as described in section 3.5.

NOTE: If the secondary container remains in the direct control of the person using it at all times and is emptied by the end of the work shift, a label is not required, but is highly suggested.

4.0 Chemical Inventory

An inventory of hazardous chemicals present must be maintained for each work area that utilizes and stores hazardous chemicals. The identities of the hazardous chemicals on the inventory must correspond with the identities of their corresponding SDSs.

4.1 Inventory Information

The chemical inventory of non-laboratory areas is managed by each individual program or departmental area. Each program area is responsible for providing EH&S with a copy of their chemical inventory in pre-formatted Excel spreadsheets, which are provided by EH&S. At a minimum, each program area will update their inventory annually to EH&S, although quarterly or semi-annually updates are preferred. The best accuracy is obtained by managing the inventory on an ongoing basis as chemicals are purchased and disposed.

4.4.1

EH&S will maintain an electronic archive of each program's inventory in an electronic database. Non-laboratory personnel can contact their supervisor to gain access to their chemical inventory, supervisors can contact EH&S for access to their inventory either on-line or in spreadsheet format.

5.0 Safety Data Sheets

5.1 Safety Data Sheet (SDS formerly MSDS) General Requirements

The HCS requires that the chemical manufacturer, distributor, or importer provide Safety Data Sheets (SDSs) to downstream users. SDSs include information on the properties of each chemical; the physical, health, and environmental health hazards; protective measures; and precautions for safely handling, storing, and transporting the chemical.

5.1.1

A SDS for each hazardous chemical in the workplace must be readily available to all employees and employees must receive training on how to access SDSs.

5.1.2

Each SDS must be in English; however, copies in other languages should also be available for workers whose English language skills are not sufficient to permit them to read and effectively understand SDSs written in English.

5.2 Maintenance and Accessibility of SDS's

EH&S maintains an online database of SDS's for chemicals that are inventoried by EH&S when they arrive on campus at the central receivBT/P ≦ (ent) c-1 (i)1 (l)14 (i)1 (n)-3 (r)-1 ( )-3 (

5.2.1

SDSs that are not currently included in the online database should be forwarded to EH&S so that they can be added to the database.

5.2.2

Upon receiving a hazardous chemical in a particular workplace, the supervisor or other

6.2.3

How to access the chemical inventory maintained by EH&S.

6.2.4

Respirable crystalline silica consists of very small particles of silica (less than 10 µm), at least 100 times smaller than ordinary sand found on beaches or playgrounds for example. Crystalline silica is created when cutting, sawing, grinding, drilling and crushing stone, rock, concrete, brick, block and mortar.

7.1.1

There are many types of activities that produce crystalline silica dust which could result in worker exposure to respirable crystalline silica; including but not limited to, the following:

OSHA has established a maximum exposure limit, or Permissible Exposure Limit (PEL), for airborne respirable crystalline silica of 50 micrograms per cubic meter (50 µg/m^3) of air, calculated as an 8-hour Time Weighted Average (TWA). Additionally, OSHA has established an action level (AL) for respirable crystalline silica of 25 µg/m^3, calculated as an 8-hour TWA. Occupational exposures at or above the action level triggers additional requirements, to include medical surveillance and increased air monitoring.

8.0 Non-Routine Tasks

A non-routine task is an event or activity that occurs infrequently; therefore, details of the hazards and protective measures may not be fully developed or known by persons who will perform the task. Examples include disposal of outdated products and use of hazardous chemicals during infrequent maintenance or repair work.

8.1 Task Review

Prior to beginning a non-routine task a review of the procedure and chemicals to be

availability of SDSs (if requested), and precautions to be taken to prevent personnel exposure and other incidents.

9.2 Work Conducted by Contractor Personnel

When requested, contractors are required to submit legible copies of SDSs for all

provisions for personnel exposure, fire, chemical releases, and other incidents, all as applicable.